

| | DECLARATION OF PERFORMANCE DOP: MKSPA301 | | | | |
|----|--|---|--|--|--|
| 1. | Unique product type code: | | | | |
| | DOP: MKSPA301 | | | | |
| 2. | Purpose of use intended by the manufacturer or intended purposes of use for the building product according to the applicable harmonised technical specification: | | | | |
| | wood materials for use indoors as non-carrying building parts in dry areas | | | | |
| 3. | Name, registered trade name or registered trademark and contact address of the manufacturer according to Article 11 (5): | | | | |
| | Kaindl Boards GmbH, Kaindlstraße 2, 5071 Wals/Salzburg, Austria, www.kaindl.com/DOP | | | | |
| 4. | If applicable, name and contact address of the authorised representative, who is entrusted with the tasks according to Article 12 (2): | | | | |
| | not applicable | | | | |
| 5. | System or systems for assessment and testing of the building product's functional reliability according to Annex V: | | | | |
| | System 3 | | | | |
| 6. | For a declaration of performance relating to a building product that is covered by the harmonised standard: | | | | |
| | name of the testing laboratory that has issued the certificate of conformity for the factory-internal production control system, and test and calculation reports (where relevant). | | | | |
| | NB 1322 IBS - Institut für Brandschutztechnik und Sicherheitsforschung GmbH - accredited testing, | | | | |
| | Inspection and certifying body Petzodstrasse 45 | | not applicable | | |
| | A-4021 LINZ Austria | | | | |
| L | Notified body | | Declaration of performance certificate | | |
| 7. | For a declaration of performance relating to a building product for which a European technical assessment has been issued: | | | | |
| | not applicable | | | | |
| 8. | Declared performances | | | | |
| | Essential characteristics | Performance | Harmonised techn. specification | | |
| | Ageing resistance (flexural stiffness) | f _m ≥ 8.5 N/mm² | EN 13986:2004+A1:2015 | | |
| | Quality of bonding | NPD | EN 13986:2004+A1:2015 | | |
| | Traverse tensile strength | f _t ≥ 0.20 N/mm ² | EN 13986:2004+A1:2015 | | |
| | Formaldehyde discharge | E1 E1 | EN 13986:2004+A1:2015 | | |
| | Fire behaviour | B-s1, d0 | EN 13986:2004+A1:2015 | | |
| | Water steam permeability | NPD | EN 13986:2004+A1:2015 | | |
| | Sound insulation | NPD | EN 13986:2004+A1:2015 | | |
| | Sound absorption | NPD | EN 13986:2004+A1:2015 | | |
| | Heat conductivity | NPD | EN 13986:2004+A1:2015 | | |
| | Biological durability | NPD | EN 13986:2004+A1:2015 | | |
| | Pentachlorphenol content | ≤ 5ppm | EN 13986:2004+A1:2015 | | |
| 9. | The performance of the product described above is consistent with the declared performance/s. Solely the aforementioned manufacturer is responsible for the issuance of the declaration of performance in accordance with Regulation (EU) No. 305/2011. Signed on behalf and in the page of the manufacturer by: | | | | |

| Konrad Grünwald, CEO | |
|------------------------------|--|
| (Name and title) | |
| 15.06.2022, Salzburg/Austria | |
| (Date and place) | |

